

H. J. CONKLING

CINCINNATI, OHIO

GILBERT AVENUE NEAR COURT ST.

LONG DIST. { CANAL 2030
PHONES: { CANAL 2031

SEWER PIPE FIRE BRICK CEMENT LIME, ETC.

FIRE CLAY
GRATE TILE
WHITE SAND
PLASTER PARIS
HYDRATED LIME
HARD WALL PLASTER
WOOD PULP PLASTER
FLUE LININGS
CHIMNEY PIPE
CHIMNEY TOPS
VITRIFIED FEED TROUGHS
WALL COPING
FARM DRAIN TILE
WATER PROOFING COMPOUNDS

Fire Clay Flue Linings

SQUARE (2 foot lengths)

| Outside Measure | Weight Per Foot | List Price |
|-----------------|-----------------|-----------------|
| 4½ x 8½ in. . . | 14 lbs. . . | \$0 30 per foot |
| 4½ x 13 in. . . | 19 lbs. . . | .45 per foot |
| 4½ x 18 in. . . | 40 lbs. . . | 1 00 per foot |
| 8½ x 8½ in. . . | 18 lbs. . . | .45 per foot |
| 8½ x 13 in. . . | 23 lbs. . . | .65 per foot |
| 8½ x 18 in. . . | 45 lbs. . . | .90 per foot |
| 13 x 13 in. . . | 40 lbs. . . | .85 per foot |
| 13 x 18 in. . . | 57 lbs. . . | 1.20 per foot |
| 18 x 18 in. . . | 75 lbs. . . | 2 00 per foot |


Openings and Registers, 50 per cent, added



Plain—Round Corners



Opening—Round Corners




Vitrified Glazed Wall Coping

List Price

| | |
|-------------------------------|-----------------|
| 8 inch and 9 inch | \$0.35 per foot |
| 12 inch and 13 inch | .55 per foot |
| 18 inch | 1.00 per foot |

Corners, Angles and Closed Ends or Starters, each three time the price of one foot of Straight Coping.

Fire Clay Stove Thimbles






Made 1-4 Inch Larger to Admit Metal Stove Pipe.

LIST PRICE EACH.

| Inside Measure | 4½ in. long | 6 in. long | 9 in. long | 12 in. long |
|----------------|--------------|--------------|--------------|--------------|
| 6 inch . . . | \$0.25 . . . | \$0 35 . . . | \$0.45 . . . | \$0 50 . . . |
| 7 inch . . . | .30 . . . | .40 . . . | .50 . . . | .60 . . . |
| 8 inch . . . | .35 . . . | .45 . . . | .60 . . . | .70 . . . |

VITRIFIED GLAZED Sewer Pipe and Fittings



H. J. CONKLING, CINCINNATI, OHIO

PRICE LIST OF VITRIFIED SALT GLAZED SEWER PIPE

Adopted by the Eastern and Western Manufacturers, December 19, 1901

| Calibre of Pipe | Straight Pipe per foot | Elbows and Curves each | Slants 1 foot or less per foot long side | Increasers and Reducers each | R. P. S. and Single H. H. Traps each | Double H. H. Traps each | Two Piece Traps per pair | Well Traps each | Grease Traps with bottom and cover each | Channel Pipe per foot | Y AND T BRANCHES | | | | | | | | Stoppers or Plugs each | Flat Strainers each | Perforated Pipe per foot | Weight per Foot | Calibre of Pipe |
|-----------------------|---------------------------------|---------------------------------|--|---------------------------------------|---|----------------------------------|-----------------------------------|-----------------------|---|--------------------------------|--|--|---|--|--|--|--|---|---------------------------------|---------------------------|--------------------------------|-----------------------|-----------------------|
| | | | | | | | | | | | 1 or 2 feet long with Inlets up to and including 12 inches, each | 2½ or 3 ft. long with Inlets up to and including 12 inches, each | 2 feet long with Inlets 15 inches or larger, each | 2½ feet or 3 feet long with Inlets 15 inches or larger, each | Double 2 ft. long, with Inlets up to and including 12 inches, each | Double 2½ or 3 ft. long with Inlets up to and includ- ing 12 in., each | Double 2 feet long with Inlets 15 inches or larger, each | Double 2½ or 3 ft. long with Inlets 15 inches or larger, each | | | | | |
| 2 in. | \$0 16 | \$0 50 | | | \$1 50 | \$1 90 | | | | | \$0 72 | \$1 04 | | | \$1 12 | \$1 44 | | | \$0 05 ½ | \$0 10 ¾ | \$0 32 | 5 lbs. | 2 in. |
| 3 in. | 16 | 50 | \$0 48 | \$0 64 | 1 50 | 1 90 | \$1 90 | | | \$0 09 ¾ | 72 | 1 04 | | | 1 12 | 1 44 | | | 5 ½ | 10 ¾ | 32 | 7 lbs. | 3 in. |
| 4 in. | 20 | 65 | 60 | 80 | 2 00 | 2 50 | 2 40 | | | 12 | 90 | 1 30 | | | 1 40 | 1 80 | | | 6 ¾ | 13 ¾ | 40 | 9 lbs. | 4 in. |
| 5 in. | 25 | 85 | 75 | 1 00 | 2 50 | 3 13 | 3 00 | | | 15 | 1 13 | 1 63 | | | 1 76 | 2 26 | | | 8 ½ | 16 ¾ | 50 | 12 lbs. | 5 in. |
| 6 in. | 30 | 1 10 | 90 | 1 20 | 3 50 | 4 25 | 3 60 | \$2 00 | | 18 | 1 35 | 1 95 | | | 2 10 | 2 70 | | | 10 | 20 | 60 | 15 lbs. | 6 in. |
| 8 in. | 50 | 2 00 | 1 50 | 2 00 | 6 60 | 7 75 | 6 00 | 3 30 | \$6 00 | 30 | 2 25 | 3 25 | | | 3 50 | 4 50 | | | 16 ¾ | 33 ¾ | 1 00 | 23 lbs. | 8 in. |
| 9 in. | 60 | 2 40 | 1 80 | 2 40 | 7 50 | 9 00 | 6 60 | 3 90 | | 36 | 2 70 | 3 90 | | | 4 20 | 5 40 | | | 20 | 40 | 1 20 | 28 lbs. | 9 in. |
| 10 in. | 75 | 3 00 | 2 25 | 3 00 | 9 00 | 11 00 | 7 80 | 4 70 | 7 50 | 45 | 3 40 | 4 90 | | | 5 30 | 6 80 | | | 25 | 50 | 1 50 | 35 lbs. | 10 in. |
| 12 in. | 1 00 | 4 00 | 3 00 | 4 00 | 15 00 | 16 50 | 12 75 | 6 00 | 10 00 | 60 | 4 50 | 6 50 | | | 7 00 | 9 00 | | | 33 ¾ | 66 ¾ | 2 00 | 43 lbs. | 12 in. |
| 15 in. | 1 35 | 5 40 | 4 05 | 5 40 | 22 00 | 24 00 | 18 75 | | 15 00 | 81 | 6 10 | 8 80 | \$9 15 | \$11 85 | 9 50 | 12 20 | \$15 60 | \$18 30 | 45 | 90 | 2 70 | 60 lbs. | 15 in. |
| 18 in. | 1 70 | 6 80 | 5 10 | 6 80 | | | | | 20 00 | 1 02 | 7 65 | 11 05 | 11 48 | 14 88 | 11 90 | 15 30 | 19 56 | 22 96 | | | 3 40 | 85 lbs. | 18 in. |
| 20 in. | 2 25 | 9 00 | 6 75 | 9 00 | | | | | | 1 35 | 10 13 | 14 63 | 15 20 | 19 70 | 15 76 | 20 26 | 25 90 | 30 40 | | | 4 50 | 100 lbs. | 20 in. |
| 21 in. | 2 50 | 10 00 | 7 50 | 10 00 | Discounts governing price 2 inch to 24 inch will not apply on sizes 27 inch to 36 inch | | | | | 1 50 | 11 25 | 16 25 | 16 88 | 21 88 | 17 50 | 22 50 | 28 76 | 33 76 | | | 5 00 | 120 lbs. | 21 in. |
| 22 in. | 2 75 | 11 00 | 8 25 | 11 00 | | | | | | 1 65 | 12 38 | 17 88 | 18 57 | 24 07 | 19 26 | 24 76 | 31 64 | 37 14 | | | 5 50 | 130 lbs. | 22 in. |
| 24 in. | 3 25 | 13 00 | 9 75 | 13 00 | | | | | | 1 95 | 14 63 | 21 13 | 21 95 | 28 45 | 22 76 | 29 26 | 37 40 | 43 90 | | | 6 50 | 140 lbs. | 24 in. |
| 27 in. | 4 25 | 20 00 | 12 75 | 17 00 | | | | | | 2 55 | | 21 25 | | 31 88 | | 31 88 | | 53 14 | | | 8 50 | 224 lbs. | 27 in. |
| 30 in. | 5 50 | 27 50 | 16 50 | 22 00 | | | | | | 3 30 | | 27 50 | | 41 25 | | 41 25 | | 68 75 | | | 11 00 | 252 lbs. | 30 in. |
| 33 in. | 6 25 | 30 00 | 18 75 | 25 00 | | | | | | 3 75 | | 31 25 | | 46 88 | | 46 88 | | 78 14 | | | 12 50 | 310 lbs. | 33 in. |
| 36 in. | 7 00 | 32 50 | 21 00 | 28 00 | | | | | | 4 20 | | 35 00 | | 52 50 | | 52 50 | | 87 50 | | | 14 00 | 350 lbs. | 36 in. |

Increasers shall have sockets on small end. Reducers socket on large end. No slant to be charged at less than one foot. Excess over one foot at proportionate rate

H. J. CONKLING, CINCINNATI, OHIO

Ornamental Fire Clay Chimney Tops



No. 4—2 ft. high, \$2.25 ea.
No. 5—2½ ft. high, 2.75 ea.
Base 13 x 13 inches.



No. 7—2 ft. high, \$2.25 ea.
No. 8—2½ ft. high, 2.75 ea.
No. 9—3 ft. high, 3.25 ea.
Base 13 x 13 inches.



No. 14—2½ ft. high, \$2.75 ea.
No. 15—3 ft. high, 3.50 ea.
Base, 13 x 13 inches.



No. 17—2½ ft. high, \$3.25 ea.
No. 18—3 ft. high, 4.00 ea.
Base, 13 x 13 inches.




No. 19—2½ ft. high, \$2.75 ea.
No. 20—3 ft. high, 3.25 ea.
Base, 12 x 16 inches.



No. 21—2 ft. high, \$2.00 ea.
Base, 13 x 13 inches.



No. 22½—2½ ft. high, \$3.75 ea.
No. 23 —3 ft. high, 4 25 ea.
Base, 13 x 13 inches.



Mandatory Top
2 ft. high, 6 and 7 in. diam.
Used with Stove Pipe or Chimney base. For List Prices see Stove Pipe List.

FIRE CLAY GRATE TILE



"Top" Tile
18 to 30 in. lengths, 10 and 12 in. widths.



"Wallace" Tile
18 to 26 in. lengths.



"Convex" Tile
18 to 26 in. lengths.

FIRE BRICK SHAPES




| Calibre Inside, Inches | Plain, per Foot | Bonnets 2 Feet Long, Each | Bottoms 2 Feet Long, Each | Openings, Single, 2 Feet Long, Each | Openings, Double, 2 Feet Long, Each | Openings, Single, Closed Ends, 2 Feet Long, Each | Drop Bottoms 3 Feet Long, Each | Elbows, Each | Mandary 1ops, Each | Wind-guard Bonnets, Without Hoods, Each | Bird Cages | Chimney Bases |
|------------------------|-----------------|---------------------------|---------------------------|-------------------------------------|-------------------------------------|--|--------------------------------|--------------|--------------------|---|------------|---------------|
| 6 | \$ 40 | \$ 1 60 | \$ 1 20 | \$ 1 20 | \$ 1 60 | \$ 1 60 | \$ 2 40 | \$ 1 60 | \$2 50 | \$ 1 60 | \$2 00 | \$2 00 |
| 7 | 50 | 2 00 | 1 50 | 1 50 | 2 00 | 2 00 | 3 00 | 2 00 | 3 00 | 2 00 | 2 50 | 2 50 |
| 8 | 60 | 2 40 | 1 80 | 1 80 | 2 40 | 2 40 | 3 60 | 2 40 | 3 60 | 2 40 | 3 00 | 3 00 |
| 9 | 70 | 2 80 | 2 10 | 2 10 | 2 80 | 2 80 | 4 20 | 2 80 | | | | |
| 10 | 85 | 3 40 | 2 55 | 2 55 | 3 40 | 3 40 | 5 10 | 3 40 | | | | |
| 12 | 1 10 | 4 40 | 3 30 | 3 30 | 4 40 | 4 40 | 6 60 | 4 40 | | | | |
| 15 | 1 50 | | 4 50 | 4 50 | 6 00 | | | 6 00 | | | | |
| 18 | 1 80 | | 5 40 | 5 40 | 7 20 | | | 7 20 | | | | |
| 20 | 2 50 | | 7 50 | 7 50 | 10 00 | | | 10 00 | | | | |
| 21 | 2 75 | | 8 25 | 8 25 | 11 00 | | | | | | | |
| 22 | 3 00 | | 9 00 | 9 00 | 12 00 | | | | | | | |
| 24 | 3 50 | | 10 50 | 10 50 | 14 00 | | | | | | | |
| 27 | 4 25 | | | 12 75 | 17 00 | | | | | | | |
| 30 | 5 50 | | | 16 50 | 22 00 | | | | | | | |
| 33 | 6 25 | | | 18 75 | 25 00 | | | | | | | |
| 36 | 7 00 | | | 21 00 | 28 00 | | | | | | | |

Additional lengths charged in proportion. Bottoms, closed Ends or Flanges added, each to be charged one foot of Pipe of the same size. Chimney Bases 18 inches high or under, to be the price of 5 feet of Pipe of size of Bowl; over 18 inches in height, the additional length to be charged. Fifty per cent. additional to be charged for Hooded Windguard Bonnets.

Plain
2 ft. long



Bottom
2 ft. long



Open End

Single Opening
2 ft. long




Open or Closed End

Drop Bottom
3 ft. long




Closed End

Anchor Bonnet
2 ft. long



Double Opening
2 ft. long



Open or Closed End

Fire Clay Chimney Base



6, 7 and 8 in. diameter
Base 13 x 13 inches
For use with Fire Clay Stove Pipe


Vitrified Channel or Split Pipe

2 feet lengths



For List Prices see Sewer Pipe List

Vitrified Gutter Blocks




1 ft. lengths

Vitrified Sink Hopper




List Price same as Sewer Pipe Reducers

Vitrified Horse Troughs




Impermeable Vitrified Building Blocks




Size, 8 x 8 x 16.
Size, 8 x 10 x 16.
Size, 8 x 12 x 16.

Weight, 34 lbs.
Weight, 50 lbs.
Weight, 54 lbs.

Plain Building Block



Ribbed Building Block



PRICE LIST OF VITRIFIED SALT GLAZED SEWER PIPE

CINCINNATI, O.

ADOPTED BY THE EASTERN MANUFACTURERS MAY 1st, 1910

| Calibre of Pipe | Price per Foot | Elbows and Curves Each | Slants 1 foot or less per foot long side | Increasers and Reducers Each | R. P. S. and Single H. H. Traps Each | Two Piece Traps per pair | Well Traps Each | Grease Traps with Bottom and Cover Each | Chanel Pipe per Foot | BRANCHES | | | | | | Stoppers or Plugs Each | Flat Strainers Each | Approximate Weight per Foot Standard Pipe | Calibre of Pipe |
|-----------------|----------------|------------------------|--|------------------------------|--|--------------------------|-----------------|---|----------------------|---|--|-------------------------------------|---|---|--|------------------------|---------------------|---|-----------------|
| | | | | | | | | | | 1 or 2 feet long with Inlets up to and including 12 inches Each | 2½ or 3 feet long with Inlets up to and including 12 inches Each | With Inlet 15 inches or larger Each | Double 2 feet long with Inlets up to and including 12 inches Each | Double 2½ or 3 feet long with Inlets up to and including 12 inches Each | Double with Inlet 15 inches or larger Each | | | | |
| 3 in. | \$0 20 | \$0 60 | \$0 60 | \$0 80 | \$1 60 | | | | \$0 12 | 0\$ 80 | \$1 00 | | \$1 00 | \$1 20 | | \$0 07 | \$0 14 | 7 lbs. | 3 in. |
| 4 in. | 25 | 75 | 75 | 1 00 | 2 00 | | | | 15 | 1 00 | 1 25 | | 1 25 | 1 50 | | 08 | 16 | 9 lbs. | 4 in. |
| 5 in. | 30 | 90 | 90 | 1 20 | 2 40 | | | | 18 | 1 20 | 1 50 | | 1 50 | 1 80 | | 10 | 20 | 12 lbs. | 5 in. |
| 6 in. | 40 | 1 20 | 1 20 | 1 60 | 3 20 | \$4 20 | \$2 40 | \$6 60 | 24 | 1 60 | 2 00 | | 2 00 | 2 40 | | 13 | 26 | 15 lbs. | 6 in. |
| 8 in. | 55 | 1 65 | 1 65 | 2 20 | 5 50 | 6 60 | 3 30 | 7 80 | 33 | 2 20 | 2 75 | | 2 75 | 3 30 | | 19 | 38 | 23 lbs. | 8 in. |
| 9 in. | 65 | 1 95 | 1 95 | 2 60 | 6 50 | 7 15 | 3 90 | 9 60 | 39 | 2 60 | 3 25 | | 3 25 | 3 90 | | 22 | 44 | 28 lbs. | 9 in. |
| 10 in. | 80 | 2 40 | 2 40 | 3 20 | 8 00 | 8 30 | 4 80 | 12 00 | 48 | 3 20 | 4 00 | | 4 00 | 4 80 | | 27 | 54 | 35 lbs. | 10 in. |
| 12 in. | 1 00 | 3 00 | 3 00 | 4 00 | 15 00 | 12 75 | | 16 20 | 60 | 4 00 | 5 00 | | 5 00 | 6 00 | | 33 | 67 | 45 lbs. | 12 in. |
| 15 in. | 1 35 | 4 05 | 4 05 | 5 40 | | 18 75 | | 20 40 | 81 | 5 40 | 6 75 | \$9 45 | 6 75 | 8 10 | \$10 80 | 45 | 90 | 60 lbs. | 15 in. |
| 18 in. | 1 90 | 5 70 | 5 70 | 7 60 | | | | | 1 14 | 7 60 | 9 50 | 13 30 | 9 50 | 11 40 | 15 20 | | | 85 lbs. | 18 in. |
| 20 in. | 2 25 | 6 75 | 6 75 | 9 00 | | | | | 1 35 | 9 00 | 11 25 | 15 75 | 11 25 | 13 50 | 18 00 | | | 100 lbs. | 20 in. |
| 21 in. | 2 70 | 8 10 | 8 10 | 10 80 | | | | | 1 62 | 10 80 | 13 50 | 18 90 | 13 50 | 16 20 | 21 60 | | | 120 lbs. | 21 in. |
| 22 in. | 3 00 | 9 00 | 9 00 | 12 00 | Discounts governing prices of 2 in. to 24 in. will not apply on sizes 27 in. to 36 in. | | | | 1 80 | 12 00 | 15 00 | 21 00 | 15 00 | 18 00 | 24 00 | | | 130 lbs. | 22 in. |
| 24 in. | 3 25 | 9 75 | 9 75 | 13 00 | | | | | 1 95 | 13 00 | 16 25 | 22 75 | 16 25 | 19 50 | 26 00 | | | 150 lbs. | 24 in. |
| 27 in. | 4 50 | 13 50 | 13 50 | 18 00 | | | | | 2 70 | | 22 50 | 27 00 | 22 50 | 27 00 | 36 00 | | | 224 lbs. | 27 in. |
| 30 in. | 5 50 | 16 50 | 16 50 | 22 00 | | | | | 3 30 | | 27 50 | 33 00 | 27 50 | 33 00 | 44 00 | | | 252 lbs. | 30 in. |
| 33 in. | 6 25 | 18 75 | 18 75 | 25 00 | | | | | 3 75 | | 31 25 | 37 50 | 31 25 | 37 50 | 50 00 | | | 310 lbs. | 33 in. |
| 36 in. | 7 00 | 21 00 | 21 00 | 28 00 | | | | | 4 20 | | 35 00 | 42 00 | 35 00 | 42 00 | 56 00 | | | 350 lbs. | 36 in. |

Standard Sewer Pipe 3 inches to 36 inches in diameter.

Double Strength Sewer Pipe 15 inches to 36 inches in diameter.

Increasers are pipe with sockets on small end.

Reducers are pipe with sockets on large end.

For traps with more than one hand hole add price of 1 ft. pipe same size for each additional hole.

No Slant is to be charged at less than one foot. Excess over one foot at proportionate rate.

Minimum Car Load 24,000 pounds.

CELLAR TRAPS

| | |
|-----------------------|--------|
| 9x4 with bottom..... | \$6 00 |
| without bottom..... | 5 00 |
| 12x4 with bottom..... | 9 00 |
| without bottom..... | 6 00 |

SLOPS AND CLOSET BOWLS

WITH STRAINERS OR NOT

| | |
|------------|--------|
| 12x6 | \$3 50 |
| 12x4 | 3 50 |
| 15x6 | 5 00 |
| 15x4 | 5 00 |

VITRIFIED WALL COPING

| Width | Per Foot | Angles | Corners | Starters | Weight per Foot |
|--------|----------|--------|---------|----------|-----------------|
| 8 in. | \$0 40 | | \$1 20 | | 10 lbs. |
| 12 in. | 60 | | 1 80 | | 15 lbs. |
| 18 in. | 1 20 | | 3 60 | | 30 lbs. |

FOR DELAYS CAUSED BY STRIKES, DIFFERENCES WITH EMPLOYEES, ACCIDENTS TO MACHINERY, FIRE, FLOOD, CAR FAMINE OR OTHER CONTINGENCIES BEYOND THE CONTROL OF THE MILL OR MYSELF, I SHALL NOT BE HELD RESPONSIBLE.

H. J. CONKLING,

SEWER PIPE, FIRE BRICK,
CEMENT, PLASTER, AND LIME.

GILBERT AVE., NEAR COURT ST.

CINCINNATI, O.

TELEPHONES } CANAL 2030.
CANAL 2031.



Cincinnati, O. Oct. 21st., 1910.


The H. Leet Lumber Co.,

Peebles, O.

Dear Sir :

Quote for IMMEDIATE ACCEPTANCE, (subject to change without notice), **CAR LOTS**, prompt shipment, DIRECT FROM MILL, as follows:

FREIGHT TO PEEBLES, OHIO ALLOWED OFF BILL



"ALPHA" AMERICAN PORTLAND CEMENT

(MADE IN PENNSYLVANIA AND NEW JERSEY.)

in 4 Paper Sacks \$..1.34....per barrel.

in 4 Cloth Sacks \$..1.54....per barrel.

ABOVE PRICES INCLUDE PACKAGES, WHICH MUST BE
PAID FOR WITH CEMENT,

Empty Alpha Brand Cloth Sacks returned by you direct to the Mill freight prepaid, within 60 days after shipment of cement, will be purchased from you at seven and one-half (7½) cents each, if in good condition, but only on inspection and count of the Mill.

TERMS—(CAR LOTS "ALPHA" CEMENT)—Net Cash 30 Days from Date of Each Invoice.
One Cent per Barrel Discount for Cash within 10 Days from Date of Invoice.
No Discount on Freight or Cloth Sacks.

Would be pleased to receive your order.

Yours truly,

H. J. CONKLING.

Per.....

H. J. CONKLING,
SEWER PIPE, FIRE BRICK,
CEMENT, PLASTER AND LIME
GILBERT AVE., NEAR COURT ST.
CINCINNATI, O.

TELEPHONES { CANAL 2030.
 { CANAL 2031.

Cincinnati, O., Sept. 27th., 1910

The H. Leet Lumber Co.,

Portsmouth, O.

Dear Sir:-

Quote **CAR LOTS**, (straight or assorted cars), shipped
direct from factory, as follows. (Prices subject to change without notice.)

FREIGHT TO PORTSMOUTH, O. **ALLOWED OFF BILL :**
(CAR LOTS OF ASSORTED SIZES.)

No. 1 SEWER PIPE (Standard 2 to 24 inch,) Discount off list 84%
inclusive.

No. 2 SEWER PIPE (If in stock, Do.) " " %

VITRIFIED WALL COPING, . . . " " %

FLUE LININGS . . . " " %

CHIMNEY PIPE, . . . " " %

THIMBLES, . . . " " %

CHIMNEY TOPS, . . . " " %

FIRE BRICK, . . . Per 1000, \$

FIRE CLAY, . . . Per ton, \$

TERMS:—60 days.

CASH DISCOUNT—2% off net bill (after the amount of
freight has been deducted) for cash in 15 days.

I would be pleased to have your orders.

Yours truly,

H. J. CONKLING.

Per

N. B.—Double Strength Pipe, all sizes, and 27, 30, 33 and 36 inch Standard and
Double Strength, quoted upon application.

ALL AGREEMENTS ARE CONTINGENT UPON STRIKES, ACCIDENTS, DELAYS OF CARRIERS AND OTHER DELAYS UNAVOIDABLE OR BEYOND MY CONTROL.

Digitized by:



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL

www.apti.org

**BUILDING
TECHNOLOGY
HERITAGE
LIBRARY**

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

**NATIONAL
BUILDING
ARTS
CENTER**

<http://web.nationalbuildingarts.org>